













## CUSTOM & MISCELLANEOUS

- Design service available
- Product and material consultancy
- Unique modular tooling
- Advanced moulding technology for optimum yields
- Rapid prototype service available
- Custom technical mouldings
- Round wire, square wire and pressed terminals available
- Custom solutions achieved within short time scales






GAS IGNITION - 3 CHAMBER  
Ø9.0 BORE



2 Parts Connected





Description	Type	Terminal type	No. of terminals available	Part No.
Gas Ignition	3 chamber	TBS 600 series	2	GI6500

Standard materials: Nylon 66 glass reinforced Dimensions in millimetres




# Coil Bobbins Miscellaneous

## GAS IGNITION - 4 CHAMBER Ø9.0 BORE



3 Parts Connected



Description	Type	Terminal type	No. of terminals available	Part No.
Gas Ignition	4 chamber	TBS 600 series	2	GI6510


Standard materials: Nylon 66 glass reinforced    Dimensions in millimetres

Most products are available direct from stock with same day despatch - please contact sales for details










# GAS IGNITION - 3 CHAMBER Ø11.0 BORE




GI4700GNNBLK0001



Description	Type	Terminal type	No. of terminals available	Part No.
Gas Ignition	3 chamber	TBS 600 Series	2	GI4700

Standard materials: Nylon 66 glass reinforced    Dimensions in millimetres

For further technical information please contact sales  
Tel: +44 (0) 116 264 3850    Fax: +44 (0) 116 264 3851  
Email: enquiries@milesplatts.co.uk  
Web: www.milesplatts.co.uk










# GAS IGNITION - SINGLE CHAMBER Ø11.0 BORE



GI4740GNNBLK0001



Description	Type	Terminal type	No. of terminals available	Part No.
Gas Ignition	Single chamber	TBS 600 Series	2	GI4740


Standard materials: Nylon 66 glass reinforced    Dimensions in millimetres

For further technical information please contact sales@milesplatts.co.uk or www.milesplatts.co.uk





5001



Description	Type	Terminal type	No. of terminals available	Part No.
5001	DS	-	-	VM1200

Standard materials: Nylon 66 glass reinforced  
Dimensions in inches


SOLENOID BOBBINS

Miles-Platts hold particular expertise in the manufacture of solenoid bobbins for a variety of industries including automotive, medical, industrial, commercial & vending.

As each bobbin is customer specific and designed specifically for the individual application it is not possible to show all of the products here.


For further details on solenoid bobbin design please refer to [sales@milesplatts.co.uk](mailto:sales@milesplatts.co.uk)

The following bobbins are standard products.




Bobbin type	Øa	b	Part No.
4275 SOLENOID A	35.5	9.1	VM1100
4275 SOLENOID B	50.4	6.5	VM1101
4275 SOLENOID C	69.5	6.5	VM1102

Standard materials: Nylon 66 Dimensions in millimetres





## FANS



Description	Bore Dia. A	Part No.
Fan	3.5	VM4610
Fan	3.85	VM4620
Fan	4.7	VM4630
Fan	4.5	VM4640




Standard materials: Nylon 66 Dimensions in millimetres

Miles Platts terminals & wire pins are lead-free - all polymers meet the REACH and RoHS directive (2002/95/EC). Please refer to [www.milesplatts.co.uk](http://www.milesplatts.co.uk) for details.





# 125 C CORE BOBBIN



Bobbin Size	Description	Part No.
C 125	SS	C01251

Standard Materials: Nylon 66 glass reinforced to UL94V0 / Nylon 66 glass reinforced to UL94HB.

Alternative materials available - refer to section 2, page 10.

Dimensions in millimetres